




CANDLEWOOD LAKE NEWS

SPECIAL EDITION

Candlewood Lake Buffer Guidelines

Creating environmentally sound, lakeside and stream buffer zones to protect water quality.



If you live or summer on Candlewood Lake, you enjoy one of the greatest aesthetic and recreational resources in all of Connecticut. However, whether your favorite activity is swimming, fishing, or boating, you have likely noticed some of the problems that occasionally affect your use of the lake, such as algae blooms, aquatic weeds or reduced water clarity. What you may not realize is that what you do in your own yard may be contributing to these problems and affecting the water quality of the lake. You also may not realize that you can help solve these problems by following certain landscaping practices on your property!

The natural vegetation in an undeveloped shoreline (also known as a riparian buffer) plays an important ecological role, buffering the lake waters from activities in the surrounding landscape. This undisturbed zone of woody and soft-stemmed (herbaceous) vegetation helps reduce nutrients and other

non-point source pollutants from reaching the lake, minimizes erosion, and provides critical habitat for a variety of birds and other wildlife. As residential development around Candlewood Lake dramatically increased over the past several decades, much of the lake's shoreline was cleared and replaced with new homes and large expanses of lawn. Maintaining a riparian buffer will help protect the lake's water quality and increase your property values! Whether you live on the shore or anywhere within the 40.6 square mile watershed (see Watershed Map), you should be taking appropriate measures to help protect the water quality and scenic beauty of Candlewood Lake.

BENEFITS AND DETRIMENTS: BUFFERS VS. LAWNS

Although the single most important step you can take is to create or maintain a vegetated buffer between your home and the lake, there are also several other important management practices to consider. Lawns have become a dominant feature of the American landscape,

(continued on page 2)

Vegetated buffers of 50 to 100 feet remove from 45% to 93% of incoming sediments. They also remove upwards to 80% of incoming total suspended solids, nitrogen and phosphorus in stormwater.

From *Buffers for Wetlands and Surface Waters*, 1997, by Audubon Society of New Hampshire, University of New Hampshire Cooperative Extension, New Hampshire Office of State Planning and the Natural Resource Conservation Service

Candlewood Lake News SPECIAL EDITION

P.O. Box 37
Sherman, CT. 06784
Phone: (860) 354- 6928
Fax: (860) 350- 5611

Email: claexecdir@earthlink.net
www.candlewoodlakeauthority.org

Delegate Roster

Brookfield

Glenn Hofsess
Frank Cioffi
Susan Murphy

Danbury

William Fisher - Treasurer
Ed Siergiej
Sally Conroy

New Fairfield

Richard Stroh
Patrick Callahan - Chair
Brewster Kemble

New Milford

Harold Mayer
Kevin Dunleavy
Mark Toussaint - Secretary

Sherman

Charles Reppenhagen
Katherine Mersereau
Howie Berger - V. Chair

Administrative Staff

Larry Marsicano (Director)
Frances Frattini (Adm. Coord.)
Brian Wood (Operations Mgr.)
Dave Kullgren (Patrol Chief)
Carl Johnson (Deputy Chief)
Joe Yedowitz (Deputy Chief)

Editors

A. Hunter Brawley
Robin Zitter
Larry Marsicano

Illustrations

Roderick Cameron, CCA, LLC
Brookfield, CT

Layout & Design

KatArt Graphics
New Milford, CT

but unfortunately they pose a serious threat to the health of our lakes and streams. During typical new residential construction, most or all of the native vegetation is removed and replaced with cultivated grass lawns that are water and energy intensive to maintain, and require fertilizers and pesticides to keep green and healthy. Without a vegetated buffer, these nutrient-rich fertilizers leach into the lake when it rains, causing algae blooms, reduced water clarity and excessive growth of aquatic weeds in a process known as eutrophication.


In addition to requiring extensive maintenance, lawns provide poor quality habitat for most wildlife except Canada Geese, who are attracted to these open areas where they are close to water and relatively safe from predators. Canada Geese droppings not only create a mess in your yard, they are also a significant source of nutrients and bacteria in lakes and ponds. Replacing all or some of your lawn with native trees, shrubs, or groundcovers (particularly along the shoreline) will reduce the need for pesticides and fertilizers, help conserve water, attract songbirds, butterflies and other wildlife to your yard, and **save you time and money**. Another simple way to help protect the lake is to begin composting your leaves and grass clippings. Composting is the most practical and cost-effective way to dispose of your yard waste and produces rich organic soil. Additional information on ways to protect your lake, also known as Best Management Practices (BMPs), is available from the Candlewood Lake Authority and Connecticut Department of Environmental Protection (DEP).

DESIGNING A VEGETATED BUFFER ZONE

There are a number of factors to consider before you begin designing your vegetated buffer. The first step should be a general assessment of the physical characteristics of your property. These characteristics, such as the slope, amount of light and soil types will help you decide which plants to include in your buffer. You will then need to think about your “viewshed,” deciding which views you would like to preserve, and those areas of your property

SITE CHARACTERISTICS TO CONSIDER:

- Orientation (exposure)
- Plant Zones (hardiness)
- Availability of Sunlight
- Building Locations
- Activities
- Soil Types
- Slope



where a buffer could increase your privacy or reduce noise from recreational activities on the lake, surrounding homes, roads, etc.

Decide what the focal point of your yard is, if screening is needed, and where the important views are. Remember, wide-open panoramic views across cultivated lawns degrade both the water quality and aesthetic beauty of Candlewood Lake; some of the most picturesque residential views of the lake are framed by an array of trees and shrubs. The buffer could be designed to provide additional shade or protection from the prevailing wind, while at the same time creating an oasis for birds and other wildlife. You may also consider the typical uses of your yard (gardening, barbecuing, lawn games, etc.), and design your landscape accordingly.

The effectiveness of your buffer will depend upon its width, the slope, and the vegetation you choose to plant. Although any natural vegetation you maintain along the shoreline will provide some benefits, a minimum buffer of 50 to 100 feet is preferable. Ultimately the size of your buffer will depend upon the physical characteristics of your property, but in general the wider the buffer the better, particularly on steep slopes. Allowing the buffer plantings to extend over the water's edge will help cushion the shoreline from erosion caused by the impact of waves and boating while providing important shade in a shallow water habitat for certain fish, birds and other wildlife.

(continued on page 3)

A well designed and executed landscape can be aesthetically pleasing while functioning as a buffer. Your backyard does not have to resemble a forest to help protect the lake, and often the existing vegetation can be enhanced to create an effective buffer. Whether there are currently native species or non-native ornamentals in your yard, leave them as long as they are not exotic invasive plants (such as Japanese barberry or multiflora rose). Using the existing vegetation requires less time and money than total replanting, so enhance what's already there.

Start planning by monitoring the amount of sun and shade in your yard throughout the day. If more light is needed for strong plant growth, now is the time to consult with a licensed arborist or landscape professional. Pruning and very limited tree removal can be beneficial, but never pull stumps which provide soil stability.

Before doing any work, decide how you would like to use the space. Play space and sitting areas are often best sited further away from the lake with a vegetated buffer in between. Footpaths are necessary to provide access to the lake and should be narrow and meandering so they won't become runoff channels. Don't leave the soil bare; use mulch or fine gravel as a walking surface so soils don't erode and end up in the lake. Surface runoff from driveways, roof gutters and drains should always be treated onsite by being dispersed in a level area and allowed to slowly infiltrate. Limiting the amount of impervious surfaces such as paved driveways on your property helps reduce stormwater runoff. Collecting roof runoff in approved rain barrels and using it to water your garden or landscape plantings is a great way to recycle stormwater and protect the water quality of the lake. New rain barrel designs include a cap which prevents use by mosquitoes. Stormwater can also be collected in specially designed "rain gardens" where it can pool and infiltrate. For hard level surfaces such as a patio, dry laid fieldstone, blue-stone, brick or pervious paving materials are

good alternatives to solid pavement. The landscape does not need to be perfectly level and groomed to be attractive; uneven soil surfaces allow rain and snowmelt to better infiltrate, and a diversity of plant types, sizes and shapes provides habitat for wildlife.

Before beginning work on your vegetated buffer, remember that a permit may be required if any earthmoving or heavy equipment is involved. Also, work proposed within 200' of Candlewood Lake may be a regulated activity and requires a permit from your local inland wetlands commission. Wetlands commissions regulate many activities in or adjacent to the lake and other wetlands, including tree cutting, removal of vegetation or disturbance of soils.

NATIVE PLANTS VS. LAWNS

- *Native plants require fewer pesticides than lawns*
- *Native plants require less water than lawns*
- *Native plants don't require mowing and help reduce air pollution*
- *Native plants provide shelter and food for wildlife*



Wetlands regulations vary from town to town, so it is advisable to consult your local Land Use Enforcement Officer or Wetlands Commission to determine whether you need a permit. They can also give you advice on controlling erosion during construction. Creating any terracing or retaining walls will also require a permit. In most cases Northeast Generation Company owns up to the 440 foot elevation line around the lake (10 to 12 vertical feet above summer lake level), so you must contact them if conducting work below this point. Your local Wetlands Commission staff and the Candlewood Lake Authority can provide guidance on how to best implement your plan.

CREATING THE BUFFER

For Established Yards

Though some lawn is usually desired for recreation, most of us have too much of it. The easiest way to begin the transition to a more functional buffer is to stop mowing all or part of your yard. The grass will grow longer thereby helping to slow down and filter runoff while you're working on other plantings. Other native plants may become established creating a natural meadow. This also creates a better habitat for birds and other wildlife. Think of the time and resources you'll save by not mowing!

Choosing Your Plants

Look around at the surrounding plant communities for clues to the soils and types of plants that will do well in your yard. Whenever possible, use plants that are native to State of Connecticut, grown from locally collected seeds and cuttings whenever possible. Transplanting from a naturally occurring community on your own property can yield only moderate success as plants don't always adapt well. Transplanting from the wild on anyone else's property without permission is illegal.

Remember that just because the plant community is close to the edge of a lake doesn't necessarily mean the soils are damp. In fact, areas near the lake may be very dry, especially if the slopes are steep.

A demonstration Buffer Garden that includes many of the recommended plants has been created at the Candlewood Lake Authority office in Sherman. Feel free to visit the garden for plant and design ideas for your own buffer or check with the CLA staff for a comprehensive list of buffer plants.

The most effective buffers mimic the natural environment and include a diversity of trees, shrubs, and herbaceous plants. Overlapping layers of plants create important microclimates that provide varied habitats and help keep the soils moist. Canopy layers reduce rain impacts on the soil thereby helping reduce erosion. The deeper root systems of woody plants are important for soil stabilization, while the low

(continued on page 4)



FIGURE 1

Existing Condition: Lawn extends to the Candlewood Lake shoreline.

herbaceous vegetation and duff layer (leaves, pine needles, mulch, etc.) filter sediments and pollutants. The rooted plants help stabilize the soils and absorb nutrients before they can leach into the lake. You do not need to plant large, mature plants as you begin creating your buffer. In fact, smaller plants often adapt more quickly and easily and are less expensive. Be aware of the mature height and spread of the plants you choose, and select and space them accordingly. The plantings should be dense enough to function as a buffer but not overcrowded.

Start Planting!

Decide where you will develop or enhance the buffer in your yard, and choose the plants that are appropriate for your particular conditions. If you are unsure about what to plant, seek assistance with your buffer design from a local garden center or landscape professional.

Use silt fence between the lake and the planting area if any soil disturbance or excavation is required. If working on steep slopes, erosion control netting is recommended to stabilize the soils until the plantings become established. Make sure the netting is biodegradable (no poly netting), pin it properly, and mulch over the entire area. Remember to acquire any necessary permits *before* you begin working!

Planting in the spring or fall takes advantage of the rains and cooler temperatures. Avoid planting during the summer months when excessive watering will be required to maintain your plants.

If you are converting lawn to planting beds (highly recommended!), the sod need not be removed. Several layers of newspaper (not colored) with mulch on top will easily smother the grass over time. Only remove the sod in the areas where you will be planting. Digging and amending individual holes is recommended rather than disturbing large areas.

Dig the hole twice as wide as the rootball and just a little deeper. Spread the roots of container plants, remove any synthetic burlap, and set your plants in the hole at ground level or just an inch higher. Good soil preparation gets plants off to a healthy start, and eliminates the need for additional fertilizers.

Mulching immediately helps reduce erosion and retain moisture, but be sure to keep the mulch about an inch away from the base of plants. Stringy mulches are preferable since nugget-type mulch will wash downhill in a rainstorm. If the slope is very steep, biodegradable erosion control netting is recommended.

Encourage your plants to root deeply by providing properly timed watering. Long, slow watering twice a week for the first few months, then once a week for the rest of the first growing season is advisable. Check to see that the water has indeed penetrated 6-8 inches into the soil. Drip irrigation provides the most efficient water use and helps eliminate runoff. A well chosen, established landscape will not require additional watering.



FIGURE 2

Phase One: Define buffer limits. Stop mowing, allow native vegetation to grow.



FIGURE 3

Phase Two: Add native trees to frame views and provide shade.

Maintenance

A native landscape does not imply an unmanaged landscape, so be aware that plantings of any kind may require seasonal weeding, pruning, and mulching. Native plants generally require less maintenance than other plants, and can be allowed to develop naturally in forested or otherwise undisturbed areas of your property. Allowing some fallen leaves to remain in these areas provides natural mulch and fertilizer that will help keep the vegetation healthy. Keep your leaf mulch at its natural thickness, which is just thick enough to provide protection to the soil but not so thick that it kills the herbaceous plants. Always keep leaves and grass clippings out of the lake – they make great compost. Allow the skeletons of herbaceous perennials to remain through the winter providing visual interest, buffering qualities and habitat. Leave dead snags and fallen logs as refuge for birds and other creatures. Monitor your landscape for deer browse and spray deer repellents or fence your gardens from the deer if needed. Watch for exotic invasive plants and remove them as they appear.

Creating buffers in your landscape offers numerous aesthetic, environmental, and financial benefits. Responsible design, planting and maintenance of buffers is a way we can all be stewards of Candlewood Lake, helping to keep it clean as a resource we can all enjoy.

RECOMMENDED WEBSITE RESOURCES

Information on the **benefits of reducing your lawn** is available at arboretum.conncoll.edu/salt/salt.htm.

Information on **home composting** is available at www.dep.state.ct.us/wst/compost/hcompost.htm.

Information on **establishing a shoreline buffer** is available at www.ct.nrcs.usda.gov/water.html
www.pacd.org/resources/lake_notes/effective_strips.htm.

Guidelines on determining an **appropriate buffer width** is available at www.co.worcester.md.us/k-casb.htm.

Information about and a **list of invasive plants in Connecticut** is available at www.hort.uconn.edu/cipwg/

Information on Connecticut **native tree and shrub availability** is available at arboretum.conncoll.edu/treeavailability.pdf

Information on **rain gardens** is available at clean-water.uwex.edu/pubs/raingarden/rgmanual.pdf.



FIGURE 4

Phase Three: Introduce native shrubs and herbaceous plants to provide texture, seasonal interest and habitat to the buffer area.

RECOMMENDED PLANTS: *The following is a list of plants native to the State of Connecticut that are recommended for use in buffer plantings. There are nurseries that specialize in native plants, and the Northwest Conservation District (NCD) sponsors a plant sale every spring that includes a variety of plants appropriate for use in a buffer area. For more information, contact the NCD office at 860-626-7222.*

TREES

Botanical name COMMON NAME	Mature Size	Exposure/ Habitat	Comments
<i>Acer pensylvanicum</i> STRIPED MAPLE, MOOSEWOOD	30'	Ps to sun; average to moist	Interesting understory tree with white striped bark and large, distinctive leaves
<i>Acer saccharum</i> SUGAR MAPLE	120'	Sun to ps; dry to moist	The quintessential New England tree; great silhouette and fall color
<i>Amalanchier arborea</i> , <i>A. canadensis</i> , <i>A. intermedia</i> , <i>A. laevis</i> / SHADBUSH	25-50'	Sun to shade; dry to moist	White flowers in April, berrylike edible fruits; lovely branching and bark; nice fall color
<i>Betula lenta</i> BLACK BIRCH	75'	Ps to shade; dry to moist	Handsome tree with cherry-like bark; good fall color
<i>Betula populifolia</i> GRAY BIRCH	30'	Sun to ps; dry to moist	Beautiful white bark with triangular black markings; usually grows as clumps; yellow fall color
<i>Carpinus caroliniana</i> HORNBEAM, IRONWOOD	35'	Sun to ps; average to moist	Gray twisted trunks; nice fall color
<i>Cercis canadensis</i> REDBUD, JUDAS TREE	30'	Ps; dry to moist	Bright purplish-pink flowers in April; heart-shaped leaves turn yellow in fall
<i>Cornus alternifolia</i> PAGODA DOGWOOD	15-20'	Sun to shade; average to moist	Creamy flower clusters in May and June followed by blue black fruits; good wildlife value; large multistemmed shrub or small tree
<i>Cornus florida</i> FLOWERING DOGWOOD	30'	Ps; average to moist	Beautiful white flowers in May; red fruits loved by birds; horizontal habit; maroon fall color
<i>Crataegus arnoldiana</i> , <i>C. mollis</i> , <i>C. crus-galli</i> / HAWTHORNE	30'	Sun to ps; dry to moist	White flowers in May followed by red fruits; thorny, dense habit
<i>Fagus grandiflora</i> AMERICAN BEECH	90'	Sun to ps; average to moist	Beautiful smooth gray bark; densely horizontal habit; holds leaves late into winter
<i>Hamamelis virginiana</i> WITCH-HAZEL	15-20'	Ps to shade; dry to moist	Yellow flowers in Oct., Nov.; usually multi stemmed; good understory plant; adaptable
<i>Ilex opaca</i> AMERICAN HOLLY	30'	Sun to ps; dry to average	Broad leaf evergreen; need both sexes for red fruits to develop; plant out of wind
<i>Juniperus virginiana</i> RED CEDAR	40'	Sun; dry to average	Fast growing evergreen, many with steely blue fruits; tolerates poor soils; avoid planting near apple trees
<i>Larix laricina</i> LARCH, TAMARACK	50'	Sun; average to wet	Deciduous conifer, pyramidal habit; nice yellow fall color; likes wet but adaptable
<i>Liquidambar styraciflua</i> SWEET GUM	125'	Sun to ps; dry to moist corky twigs	Beautiful star shaped leaves become scarlet in fall; persisting round seed capsules are ornamental as are
<i>Liriodendron tulipifera</i> TULIP TREE	150'	Sun; average to moist	Fast growing; beautiful leaf shape; interesting flowers and seed pods
<i>Nyssa sylvatica</i> SOUR GUM, TUPELO	80'	Sun to ps; dry to wet	Dense horizontal branching; lustrous leaves with great fall color; small blue fruits
<i>Pinus strobus</i> WHITE PINE	100'	Sun; dry to moist	Lovely soft textured evergreen; grows large
<i>Quercus alba</i> WHITE OAK	90'	Sun; dry to average	Beautiful habit; slow growing
<i>Quercus bicolor</i> SWAMP WHITE OAK	60'	Sun; average to wet	Good for moist or wet spots; slow growing
<i>Quercus coccinea</i> SCARLET OAK	75'	Sun; dry to average	Interesting habit; great scarlet fall color; hold leaves late into winter

PAGE 7 | RECOMMENDED PLANTS: TREES *(continued)*

Botanical name COMMON NAME	Mature Size	Exposure/ Habitat	Comments
<i>Quercus palustris</i> PIN OAK	75'	Sun; dry to moist	Pyramidal habit with distinctive horizontal, dense branching; good fall color
<i>Quercus rubra</i> RED OAK	75'	Sun; dry to moist	Rounded habit; adaptable
<i>Quercus velutina</i> BLACK OAK	100'	Sun; dry to moist	Nice habit; good fall color
<i>Sassafras albidum</i> SASSAFRAS	50'	Sun to ps; average to moist	Mitten-shaped, aromatic leaves with great fall color; green twigs, interesting irregular habit
<i>Thuja occidentalis</i> NORTHERN WHITE CEDAR, ARBORVITAE	60'	Sun; dry to moist	Upright evergreen; many forms available
<i>Tsuga canadensis</i> EASTERN HEMLOCK	90'	Sun to shade; average to moist	Shade tolerant evergreen with soft, pyramidal habit; many forms available; watch for adelgid

SHRUBS

Botanical name COMMON NAME	Mature Size	Exposure/ Habitat	Comments
<i>Arctostaphylos uva-ursi</i> BEARBERRY	6"	Sun; dry to average	Nice evergreen groundcover for well drained soils; white flowers in May, red berries
<i>Aronia arbutifolia</i> , <i>A. melanocarpa</i> , <i>A. prunifolia</i> / CHOKEBERRY	2-10'	Ps; dry to moist	White flowers in late May, red or black fruits in fall; great fall color; good colonizer
<i>Cephalanthus occidentalis</i> BUTTONBUSH	10'	Sun; moist to wet	Good for wet areas; white blooms in summer; rangey habit
<i>Clethra alnifolia</i> SWEET PEPPERBUSH	8'	Ps to shade; average to wet	Fragrant white flowers in July, good fall color; colonizes; likes moisture
<i>Comptonia peregrina</i> SWEET FERN	4'	Sun; dry to average	Aromatic, fernlike foliage; good colonizer
<i>Cornus amomum</i> SILKY DOGWOOD	8-10'	Ps to shade; average to wet	White flowers in June followed by blue berries; open spreading habit
<i>Cornus racemosa</i> GRAY DOGWOOD	6-10'	Sun to ps; dry to moist	White flowers in June followed by white berries on red stalks; spreads vigorously
<i>Diervilla lonicera</i> BUSH HONEYSUCKLE	3-5'	Sun to shade; dry to moist	Suckering, good stabilizer; adaptable to many conditions
<i>Ilex glabra</i> INKBERRY	6'	Sun to ps; average to wet	Nice evergreen with black fruits for wildlife; compact forms available; adaptable
<i>Ilex verticillata</i> WINTERBERRY	10'	Sun to shade; dry to wet	Bright red berries, need both sexes for fruiting; adaptable, spreads
<i>Kalmia latifolia</i> MOUNTAIN LAUREL	15'	Ps; dry to average	White to pink flowers in June, evergreen; beautiful branching; likes acidic conditions
<i>Leucothoe racemosa</i> FETTER-BUSH	5'	Ps to shade; average to moist	Whitish waxy flowers in May, glossy evergreen foliage; adaptable
<i>Lindera benzoin</i> SPICEBUSH	12'	Sun to shade; dry to wet	Adaptable, prefers moisture; early small yellow blossoms followed by red fruits; nice fall color
<i>Myrica pensylvanica</i> BAYBERRY	8'	Sun; dry to wet	Beautiful waxy foliage and blue fruits for the birds; need male and female for fruiting
<i>Potentilla fruticosa</i> CINQUEFOIL	4'	Sun to ps; dry to wet	White or yellow flowers for long periods thru the summer; nice low shrubs, adaptable
<i>Rhododendron maximum</i> ROSEBAY RHODODENDRON	10-15'	Ps to shade; average to moist	Hardy and evergreen, pink flowers in late June and July
<i>Rhododendron periclymenoides</i> (<i>R. nudiflorum</i>) PINXTER-FLOWER	6'	Ps; average to moist	Delicate light pink flowers in early May

PAGE 8 | RECOMMENDED PLANTS: SHRUBS (continued)

Botanical name COMMON NAME	Mature Size	Exposure/ Habitat	Comments
<i>Rhododendron prinophyllum</i> (<i>R. roseum</i>) / ROSEHELL AZALEA	8'	Ps; average to moist	Bright pink, fragrant flowers in mid May
<i>Rhododendron viscosum</i> SWAMP AZALEA	9'	Ps; average to wet	White, fragrant flowers in early July; likes moisture but adaptable
<i>Rhus aromatica</i> FRAGRANT SUMAC	3-6'	Sun to ps; dry to average	Attractive foliage; good on slopes, poor soils; colonizes quickly; great fall color; wildlife value
<i>Rhus glabra</i> SMOOTH SUMAC; <i>R. typhina</i> STAGHORN SUMAC	9-20'	Sun; dry to average	Vigorous colonizers for poor soils, use only in large naturalistic areas; fruit has wildlife value
<i>Rosa carolina</i> PASTURE ROSE	3'	Sun; dry to average	Single pink flowers in June followed by red hips; stays low, forms thickets
<i>Rosa virginiana</i> WILD ROSE	6'	Sun; dry to moist	Single pink flowers in June followed by red hips; nice fall color and red twigs in winter; strong colonizer
<i>Rubus odoratus</i> PURPLE-FLOWERING RASPBERRY	6'	Sun to shade; dry to average	Fragrant, purple flowers in early July over a long period; red raspberry fruits for wildlife; attractive maplelike leaves; spreads
<i>Salix discolor</i> PUSSY WILLOW	10-15'	Sun to ps; average to wet	Fast growing, likes moisture; ornamental fuzzy flowers in early spring
<i>Sambucus canadensis</i> ELDERBERRY	10-12'	Sun to ps; average to moist	White flowers in late June followed by ornamental blue berries; adaptable
<i>Spiraea latifolia</i> MEADOW SWEET	2-4'	Sun; average to moist	Low, suckering; white to pinkish flowers in summer
<i>Vaccinium angustifolium</i> LOW BUSH BLUEBERRY	1'	Sun to shade; dry to moist	Nice woody groundcover for acidic soils; wildlife value, good fall color
<i>Vaccinium corymbosum</i> HIGHBUSH BLUEBERRY	6-10'	Sun to ps; average to moist	Highly ornamental in habit and fall color; blue fruits; likes well drained and acidic soils
<i>Viburnum acerifolium</i> MAPLE-LEAF VIBURNUM	6'	Ps to shade; dry to moist	White flowers in June, black fruits; can withstand considerable shade
<i>Viburnum alnifolium</i> HOBBLEBUSH	10'	Ps to shade; average to moist	Early, hydrangealike flowers followed by red to black berries; moist woodlands; shade tolerant
<i>Viburnum cassinoides</i> WITHE-ROD	6'	Sun to ps; average to moist	White flowers in early June, beautiful green to red to black berries; red fall color; adaptable
<i>Viburnum dentatum</i> (<i>V. regognitum</i>) ARROWOOD	12'	Ps to shade; dry to moist	Creamy flowers in June, blue fruits; vigorous
<i>Viburnum lentago</i> NANNYBERRY	15'	Ps; average to wet	Creamy flowers in May followed by black berries; arching habit; good fall color
<i>Viburnum nudum</i> POSSUM HAW	10'	Sun to ps; average to moist	Creamy flowers in late June, beautiful blue-black fruits; handsome foliage, nice fall color, adaptable
<i>Viburnum prunifolium</i> BLACK HAW	15'	Sun to ps; average to wet	White flowers in May, blue-black fruits; good fall color; can grow as small tree; adaptable
<i>Viburnum trilobum</i> (<i>V. opulus</i> var. <i>americanum</i>) HIGHBUSH CRANBERRY	12'	Sun to ps; average to moist	White flowers in late May, edible red berries

GROUND COVERS

Botanical name COMMON NAME	Mature Size	Exposure/ Habitat	Comments
<i>Anemone canadensis</i> ; also <i>A. cylindrica</i> , <i>A. quinquefolia</i> , <i>A. virginiana</i> / ANEMONE	1-1½'	Sun to shade; dry to wet	Single white flowers in June; spreads aggressively
<i>Asarum canadense</i> WILD GINGER	4"	Shade; dry to moist	Attractive heart shaped leaves; easy spreading groundcover

Botanical name COMMON NAME	Mature Size	Exposure/ Habitat	Comments
<i>Gaultheria procumbens</i> WINTERGREEN	2-6"	Ps to shade; dry to average	Shiny evergreen leaves; white flowers followed by red fruits; spreads slowly
<i>Heuchera americana</i> ALUMROOT	6-8"	Ps to shade; dry to average	Nice foliage; tolerant of shade and dry conditions
<i>Podophyllum peltatum</i> MAYAPPLE	1-1½'	Ps to shade; average to moist	Umbrella like leaves, spreads rapidly; goes dormant in summer
<i>Potentilla argentea</i> , <i>P. tridentata</i> , <i>P. simplex</i> / CINQUEFOIL	3"	Sun; dry	Good for hot, dry spots; spreads
<i>Tiarella cordifolia</i> FOAM FLOWER	3-6"	Ps to shade; average to moist	Small white flowers in spring; makes good groundcover
<i>Viola canadensis</i> CANADA VIOLET	8"	Ps to shade; average to moist	White/lavender flowers over heart shaped foliage in spring; fragrant
<i>Waldsteinia fragarioides</i> BARREN STRAWBERRY	3"	Ps to shade; dry to moist	Strawberry like leaves, yellow flowers in spring; spreads quickly

VINES

Botanical name COMMON NAME	Mature Size	Exposure/ Habitat	Comments
<i>Clematis virginiana</i> VIRGIN'S BOWER	to 18'	Sun to ps; average to moist	Small, white flowers in late August, attractive seedheads
<i>Lonicera sempervirens</i> TRUMPET HONEYSUCKLE	to 30'	Sun to ps; average to moist	Orange to scarlet flowers in summer attract hummingbirds
<i>Parthenocissus quinquefolia</i> VIRGINIA CREEPER	High climbing	Ps to shade; average to moist	Open habit, climbs by tendrils or crawls along ground; brilliant red fall color

PERENNIALS

Botanical name COMMON NAME	Mature Size	Exposure/ Habitat	Comments
<i>Actaea rubra</i> , <i>A. pachypoda</i> BANE BERRY, DOLL'S EYE	2-3'	Ps to shade; dry to moist;	White clustered flowers in May followed by striking red or white fruits; easy
<i>Agastache scrophulariaefolia</i> PURPLE GIANT HYSSOP	3-5'	Sun to ps; average to moist	Purple flower spikes in summer, fragrant foliage
<i>Angelica atropurpurea</i> PURPLE ANGELICA	6'	Sun; moist to wet	Striking flower heads in summer
<i>Apocynum androsaemifolium</i> DOGBANE	2-3'	Sun to ps; dry to average	For larger areas
<i>Aquilegia canadensis</i> WILD COLUMBINE	1-2'	Ps; dry woods and ledges	Delicate nodding red and yellow flowers in spring; self seeds; attracts hummingbirds
<i>Aralia hispida</i> , <i>A. nudicaulis</i> SARSAPARILLA	1'	Ps to shade; dry to moist	Greenish white flowers followed by black berries; spreads
<i>Aralia racemosa</i> SPIKENARD	2-6'	Ps; average to moist	Large leaves; whitish flower clusters in June/July followed by dark purple berries
<i>Arisaema triphyllum</i> , <i>A. dracontium</i> JACK-IN-THE-PULPIT	1'	Shade; moist	Interesting spring blooms followed by clusters of red fruits
<i>Asclepias incarnata</i> , <i>Asclepias syriaca</i> SWAMP, COMMON MILKWEED	3-5'	Sun; dry to wet	Pink flowers in summer, attracts butterflies
<i>Asclepias tuberosa</i> BUTTERFLY WEED	2'	Sun; dry to average	Bright orange flowers in summer; attracts butterflies

PAGE 10 | RECOMMENDED PLANTS: PERENNIALS (continued)

Botanical name COMMON NAME	Mature Size	Exposure/ Habitat	Comments
<i>Aster cordifolius</i> BLUE WOOD ASTER	2-4'	Ps to shade; dry to average	Pale violet flowers in fall; good for dry shade
<i>Aster divaricatus</i> WHITE WOOD ASTER	1-2'	Ps to shade; dry to average	White flowers Aug./Sept.; good for dry shade, spreads
<i>Aster novae-angliae</i> NEW ENGLAND ASTER	4-6'	Sun; average to moist	Purple, pink, or white flowers in fall; very showy
<i>Aster novi-belgii</i> NEW YORK ASTER	3-4'	Sun; dry to average	Purple, pink, or white flowers in fall
<i>Baptisia tinctoria</i> WILD INDIGO	3-4'	sun; moist to dry	Blue flower spikes in spring over attractive glaucous foliage
<i>Caulophyllum thalictroides</i> BLUE COHOSH	2'	Ps to shade; moist;	Yellowish flowers followed by beautiful blue berries; nice foliage
<i>Chelone glabra</i> TURTLEHEAD	3'	Sun to ps; average to moist	White flowers, interestingly shaped, in late summer
<i>Dicentra canadensis, Dicentra cucullaria</i> SQUIRREL CORN, DUTCHMAN'S BREECHES	6" - 1'	Ps to shade; moist	Heart shaped white flowers in April/May; fern foliage; goes dormant
<i>Eupatorium dubium, E. fistulosum, E. maculatum, E. purpureum</i> JOE-PYE WEED	5-8'	Sun; average to wet	Showy pink to purple flowers in late summer; attracts butterflies
<i>Eupatorium perfoliatum</i> BONESET	4'	Sun; average to wet	White flowers July/Aug.
<i>Eupatorium rugosum (Ageritina altissima var. altissima)</i> WHITE SNAKEROOT	2-5'	Ps to shade; dry to average	White flowers in late summer; good for dry shade, spreads
<i>Helenium autumnale</i> SNEEZEWEED	4-6'	Sun; average to moist	Yellow/ red flowers in late summer
<i>Liatris borealis</i> NEW ENGLAND BLAZING STAR	3'	Sun; average to moist	Magenta purple flower spikes in late summer
<i>Lupinus perennis</i> WILD LUPINE	2'	Sun; dry	Blue flower spikes in spring; beautiful foliage; likes poor soils
<i>Mitchella repens</i> PARTRIDGE BERRY	1-2"	Ps to shade; dry to moist	Creeping evergreen; red berries
<i>Monarda fistulosa, M. punctata</i> WILD BERGAMONT	3-4'	Sun to ps; dry to moist	Purple/lavender flowers in summer; minty smelling foliage; spreads
<i>Polygonatum biflorum, P. commutatum</i> SOLOMON'S SEAL	1-5'	Ps to shade; moist to dry	Attractively arching stems; creamy pendant flowers in May/June followed by blue fruits
<i>Pycnanthemum incanum, P. muticum, P. tenuifolium, P. verticillatum, P. virginianum</i> MOUNTAIN MINT	2-3'	Sun to ps; dry to moist	Summer blooming; very tolerant, spreads
<i>Rudbeckia laciniata</i> TALL CONEFLOWER	5-7'	Sun; average to moist	Bright yellow flowers in summer; spreads
<i>Sanguinaria canadensis</i> BLOODROOT	6"	Ps; moist	White flowers in spring; goes dormant in summer; spreads
<i>Scutellaria integrifolia</i> SKULLCAP	6-18"	Sun to ps; average	Blue flowers in summer
<i>Smilacina racemosa (Mianthemum ramosum spp. ramosum)</i> FALSE SOLOMON'S SEAL	2-3'	Shade; moist to dry;	Feathery white flowers in June, red speckled berries in fall

Botanical name COMMON NAME	Mature Size	Exposure Habitat	Comments
<i>Solidago</i> spp. GOLDENROD	2-5'	Sun to ps; dry to moist	Bright yellow flowers in late summer/fall; vigorous
<i>Thalictrum polygamum</i> , <i>T. dioicum</i> , <i>T. dasycarpum</i> MEADOW RUE	2-8'	Ps to shade; wet to dry;	Attractive foliage; airy clusters of flowers in spring and summer
<i>Tradescantia virginiana</i> SPIDERWORT	1-2'	Sun to shade; dry to moist	Purple or white flowers in summer
<i>Trillium erectum</i> , <i>T. cernuum</i> TRILLIUM, WAKEROBIN	1-1½'	Shade; moist	Maroon or white flowers in spring; disappears in summer
<i>Uvularia grandiflora</i> , <i>U. perfoliata</i> , <i>U. sessilifolia</i> / BELLWORT	1-2'	Shade; average to moist	Nodding pale yellow flowers in May/June; spreads
<i>Vernonia noveboracensis</i> IRONWEED	3-5'	Sun; average to wet	Red/purple flowers in late summer; showy
<i>Veronicastrum virginicum</i> CULVER'S ROOT	4-6'	Sun to ps; average to moist	White flower spikes in July to Sept.
<i>Zizia aurea</i> , <i>Z. aptera</i> GOLDEN ALEXANDER	1-2'	Sun to ps; average to moist	Yellowish flowers in May/June; spreads

FERNS

Botanical name COMMON NAME	Mature Size	Exposure Habitat	Comments
<i>Adiantum pedatum</i> MAIDENHAIR FERN	1-2'	Ps to shade; average to moist	Delicate palmate fronds; likes neutral to alkaline soils
<i>Athyrium felix-femina</i> LADY FERN	2-3'	Ps; average to moist	Adaptable
<i>Dennstedtia punctilobula</i> HAYSCENTED FERN	1-2'	Ps to shade; average to moist	Vigorous and adaptable; needs plenty of space
<i>Dryopteris spinulosa</i> , <i>D. intermedia</i> / WOOD FERN	1½ - 2½'	Ps to shade; average to moist	Almost evergreen; adaptable
<i>Matteuccia struthiopteris</i> OSTRICH FERN	3-4'	Ps to shade; average to moist	Spreads quickly; dies down earlier in fall than other ferns
<i>Onoclea sensibilis</i> SENSITIVE FERN	2-3'	Ps to shade; moist to wet	Ornamental fertile fronds; spreads
<i>Osmunda claytoniana</i> INTERRUPTED FERN	3-5'	Ps to shade; dry to wet	Handsome and adaptable
<i>Osmunda cinnamomea</i> CINNAMON FERN	3-5'	Ps to shade; average to wet	Beautiful form; cinnamon colored fertile fronds are ornamental
<i>Osmunda regalis</i> ROYAL FERN	3-5'	Ps to shade; moist to wet	Broad fronds emerge wine colored; stately plant
<i>Polystichum acrostichoides</i> CHRISTMAS FERN	1-2'	Ps to shade; average to moist	Evergreen; spreads slowly

KEY

MATURE SIZE

Size at maturity; dependent on conditions

EXPOSURE

- Sun = minimum of 6 hours of direct sun per day
- Part sun (Ps) = a few hours of direct sun
- Shade = little or no direct sun but good light

HABITAT

- Dry = dry, well drained soils
- Average = average garden conditions
- Moist = rich, fertile soils that are not saturated
- Wet = soils that stay moist most of the year

Most plants will flower and fruit more profusely with more light though some plants can tolerate less. Certain plants have higher wildlife value due to the fruits, seeds and habitat they provide. Various forms of certain plants are available to suit space constraints.

Some plant species have been grouped so particulars are general. Consult botanical references for more complete information.

ACKNOWLEDGEMENTS

The Candlewood Lake Authority recognizes and appreciates the contributions of the following members of the community who have donated time and/or money towards the success of the Buffer Garden demonstration area at the Sherman Town Beach and towards this publication.

- Stephen Frattini, Eagle Scout, BSA Troop 48
- Glen Ticehurst, Armand Benedek Partners, Bedford Hills, NY
- Dirk Sabin, Washington, CT
- Amy Ziffer, Shady Lady, Sherman CT
- Bob Jontos, Land-Tech Consultants, Southbury, CT
- Gary Goldring, Sherman, CT
- Woman's Club of Danbury/New Fairfield
- Lake Candlewood Power Squadron
- Steve Schappert, Buyers Trust, Brookfield, CT
- Sherman Garden Club
- Chuck Lee, Connecticut Department of Environmental Protection
- Roderick Cameron, CCA, LLC
- Greg Willson, Eagle Scout, BSA Troop 42
- Jack Harakal, Stamford, CT
- Janice Parker, Sherman, CT
- Jane Didona, Didona Associates, Danbury, CT
- Fernando Rincon, USDA-NRCS
- Quota Club International of Candlewood Valley
- Sherman Highway Department
- John and Herta Gordon, Sherman, CT
- Glenn Dryer, CT College Arboretum, New London, CT
- Brookfield Garden Club
- Ruth Cutler, UCONN Cooperative Extension

Special thanks are extended to Robin Zitter of Sherman, CT whose tireless efforts on behalf of the environment inspire us.

This publication was primary funded with a grant from the Connecticut Department of Environmental Protection's Lakes Grant Program, Section 22a-339a through 22a 339e CGS; by a grant from the Ellen Knowles Harcourt Foundation; and by the Candlewood Lake Authority.



STATE OF CONNECTICUT DEPARTMENT OF ENVIRONMENTAL PROTECTION



Ellen Knowles Harcourt Foundation



CANDLEWOOD LAKE AUTHORITY

Candlewood Lake News
Candlewood Lake Authority
P.O. Box 37
Sherman, CT 06784

Standard Class
U.S. Postage
PAID
Permit No. 14
New Milford,
CT

